




Make communication more convenient!

Distributed by



lansan **Catalogue**



lansan

SHENZHEN LIANXUN INDUSTRIES CO.,LTD.

W: www.lansancable.com www.lansancable.net

T: +86 755 8429 2227 F: +86 755 8429 2331

A: B3 Building, 99 Tongxin Industrial Park, Tongxin Rd.,
Tongle County, Longgang District, Shenzhen, P.R.C. 518116

SHENZHEN LIANXUN INDUSTRIES CO.,LTD.



lansan

Relying upon its corporate philosophy emphasizing on specialty and concentration, **lansan** has established itself as a front runner in China's communication cable manufacturing since 2003. For more than ten years, **lansan** has successfully transferred to the most professional intelligent structure cabling industry manufacturer and cabling solution provider, continuously striving to offer safe and reliable system solution for customer.

lansan Intelligent Structure Cabling products include shielded and unshielded Category 5E, Category 6, Category 6A and Category 7 and all series fiber optic products. It can be widely used at Voice data, Graphic image, Multi-media, Security monitoring and other data transmission. Now, we have lots of successful project cases in worldwide finance, education, health care, government buildings and other important industries.


Quality is the soul of our corporation. The company is firstly certified in ISO 9001: 2000 quality management system and ISO14001 environment management system. Products are passed verification. We also

have built up a complete quality control system to assure stable and safe quality and fulfill customer satisfaction.

Customer demand is the highest standard, and to fulfill customer satisfaction is our goal. **lansan** products are distributed to over 60 countries and districts. By joining hands with world class customers who have been working closely for long, we have obtained customer's trust and respect.

lansan cares about technology and service as well as quality in product. We have paid a lot of attention to the intrinsic quality within our employees. Now we have owned a mature and experienced work team to provide comprehensive and one stop service from design proposal, system integration service, technical training to after-sales maintenance service.

"Profession Embody Worth" is the management philosophy of **lansan**. We pursue excellence, initiative, perseverance, sense of commitment, innovation, continue to build an efficient and professional team, and determine to become a world-class enterprise, create the greatest value for customers.




UL - DUXR2.E357106



UL - DUXR.E357106



UL - Cable-E357106



UL - Material-AVLV2.E357936



CE - LCS120803015QE




ISO 9001 2008 - FM 538998



RoHS - LCS120803015QR




TUV - 16032943

**CAT6A UTP | 500Mhz LAN Cable**


- ANSI/TIA-568 Category 6A standard
- More stable serrated structure
- Rip cord offer easier jacket removal
- Standard Packing: 500m per reel

PN	Description
PA312673-XX	Cat.6A 23# Solid BC UTP PVC
PA312674-XX	Cat.6A 23# Solid BC UTP LSOH

**CAT6A SFTP | 500Mhz LAN Cable**


- ANSI/TIA-568 Category 6A standard
- Dual shield provide fully signal interference protection
- Rip cord offer easier jacket removal
- Standard Packing: 500m per reel

PN	Description
PA312675-XX	Cat.6A 23# Solid BC SFTP PVC
PA312676-XX	Cat.6A 23# Solid BC SFTP LSOH

**CAT6 UTP | 250Mhz LAN Cable**


- ANSI/TIA-568 Category 6 standard
- Center separator reduces crosstalk
- Rip cord offer easier jacket removal
- Standard Packing: 305m per box

PN	Description
PA312677-XX	Cat.6 23# Solid BC UTP PVC
PA312678-XX	Cat.6 23# Solid BC UTP LSOH

**CAT6 FTP | 250Mhz LAN Cable**


- ANSI/TIA-568 Category 6 standard
- Center separator reduces crosstalk
- Rip cord offer easier jacket removal
- Standard Packing: 500m per reel

PN	Description
PA312679-XX	Cat.6 23# Solid BC FTP PVC
PA312680-XX	Cat.6 23# Solid BC FTP LSOH

**CAT5E UTP | 100Mhz LAN Cable**

- ANSI/TIA-568 Category 5E standard
- Rip cord offer easier jacket removal
- Standard Packing: 305m per box

PN	Description
PA291306-XX	Cat.5e 24# Solid BC UTP PVC
PA291307-XX	Cat.5e 24# Solid BC UTP LSOH

**CAT5E FTP | 100Mhz LAN Cable**

- ANSI/TIA-568 Category 5E standard
- Rip cord offer easier jacket removal
- Basic shield provide signal interference protection
- Standard Packing: 305m per box

PN	Description
PA291308-XX	Cat.5e 24# Solid BC FTP PVC
PA291309-XX	Cat.5e 24# Solid BC FTP LSOH

**CAT6A SSTP | 10G Patch Cord**


- Support 10G bandwidth
- Shielded construction reduces EMI/RFI interference
- Flexible snag-free strain relief boots help maintain proper bend radius
- RJ-45 plugs gold plated contacts for best performance

PN	Description
PA312683-XX-YY	Cat.6A 26# Stranded BC SSTP PVC
PA312684-XX-YY	Cat.6A 26# Stranded BC SSTP LSOH

**CAT6 UTP | Patch Cord**

- ANSI/TIA-568 Category 6 standard
- Provide higher transmission rate than Category 5e
- Flexible snag-free strain relief boots help maintain proper bend radius
- RJ-45 plugs gold plated contacts for best performance

PN	Description
PA312685-XX-YY	Cat.6 24# Stranded BC UTP PVC
PA312686-XX-YY	Cat.6 24# Stranded BC UTP LSOH

**CAT6 FTP | Patch Cord**

- ANSI/TIA-568 Category 6 standard
- Provide higher transmission rate than Category 5e
- Shielded construction reduces EMI/RFI interference
- Flexible snag-free strain relief boots help maintain proper bend radius
- RJ-45 plugs gold plated contacts for best performance

PN	Description
PA312687-XX-YY	Cat.6 26# Stranded BC FTP PVC
PA312688-XX-YY	Cat.6 26# Stranded BC FTP LSOH

**CAT5E UTP | Patch Cord**

- ANSI/TIA-568 Category 5E standard
- Provide basic transmission rate
- Widely application range
- Flexible snag-free strain relief boots help maintain proper bend radius
- RJ-45 plugs gold plated contacts for best performance

PN	Description
PA291310-XX-YY	Cat.5e 24# Stranded BC UTP PVC
PA291311-XX-YY	Cat.5e 24# Stranded BC UTP LSOH

**CAT5E FTP | Patch Cord**

- ANSI/TIA-568 Category 5E standard
- Provide basic transmission rate
- Widely application range
- Shielded construction reduces EMI/RFI interference
- Flexible snag-free strain relief boots help maintain proper bend radius
- RJ-45 plugs gold plated contacts for best performance

PN	Description
PA291312-XX-YY	Cat.5e 26# Stranded BC FTP PVC
PA291313-XX-YY	Cat.5e 26# Stranded BC FTP LSOH



CAT6A UTP | Module

- ANSI/TIA-568 Category 6A standard
- Supports 10G data network
- Tool-free design


PN	Description
PA982000	Tool-Free Cat.6A UTP Module



CAT6A SSTP | Module

- ANSI/TIA-568 Category 6A standard
- Supports 10G data network
- Fully Shielded protect against EMI/ANEXT
- Tool-free design

PN	Description
PA982001	Tool-Free Cat.6A SSTP Module



CAT6 UTP | Module

- ANSI/TIA-568 Category 6 standard
- Slim body style
- Tool-free design

PN	Description
PA982002	Tool-Free Cat.6 UTP Module
PA982003	Classic Cat.6 UTP



CAT6 FTP | Module

- ANSI/TIA-568 Category 6 standard
- Fully Shielded protect against EMI
- Slim body style
- Tool-free design

PN	Description
PA982004	Tool-Free CAT6 FTP Module



CAT5E UTP | Module

- ANSI/TIA-568 Category 5E standard
- Slim body style
- Tool-free design

PN	Description
PA982006	Tool-Free CAT5E UTP Module
PA982007	Classic CAT5E UTP Module



CAT5E FTP | Toolless Module

- ANSI/TIA-568 Category 5E standard
- Screen Shielded protect against EMI
- Slim body style
- Tool-free design

PN	Description
PA982008	Tool-Free CAT5E FTP Module



Blank UTP | Patch Panel

- Front write-on labeling area for identification
- Customize with LANSAN modular connectors
- Pre-numbered ports for easy identification
- Including cable management bar and cable tie
- 19" EIA rack compatible

PN	Description
PA982010	Blank 24port UTP 1U
PA982011	Blank 48port UTP 2U



Blank FTP | Patch Panel

- Front write-on labeling area for identification
- Shielding protection from EMI/RFI interferences
- Customize with LANSAN module connectors
- Pre-numbered ports for easy identification
- Including cable management bar and cable tie
- 19" EIA rack compatible


PN	Description
PA982012	Blank 24port FTP 1U
PA982013	Blank 48port FTP 2U



CAT6 UTP | Patch Panel

- ANSI/TIA-568 Category 6 standard
- Rear 110-Type & KRONE IDC termination
- Front write-on labeling area for identification
- Pre-numbered ports for easy identification
- Including cable management bar and cable tie
- 19" EIA rack compatible

PN	Description
PA982014	CAT6 24port UTP 1U
PA982015	CAT6 48port UTP 2U



CAT6 FTP | Patch Panel

- ANSI/TIA-568 Category 6 standard
- Rear 110-Type & KRONE IDC termination
- Front write-on labeling area for identification
- Shielding protection from EMI/RFI interferences
- Pre-numbered ports for easy identification
- Including cable management bar and cable tie
- 19" EIA rack compatible

PN	Description
PA982016	CAT6 24port FTP 1U
PA982017	CAT6 48port FTP 2U



CAT5E UTP | Patch Panel

- ANSI/TIA-568 Category 5E standard
- Rear 110-Type & KRONE IDC termination
- Front write-on labeling area for identification
- Shielding protection from EMI/RFI interferences
- Pre-numbered ports for easy identification
- Including cable management bar and cable tie
- 19" EIA rack compatible

PN	Description
PA982018	CAT5E 24port UTP 1U
PA982019	CAT5E 48port UTP 2U



CAT5E FTP | Patch Panel

- ANSI/TIA-568 Category 5E standard
- Rear 110-Type & KRONE IDC termination
- Front write-on labeling area for identification
- Shielding protection from EMI/RFI interferences
- Pre-numbered ports for easy identification
- Including cable management bar and cable tie
- 19" EIA rack compatible

PN	Description
PA982020	CAT5E 24port FTP 1U
PA982021	CAT5E 48port FTP 2U



Modern 86 Type | Face Plate

- Modern design offer simple and smooth appearance
- Provide dustproof protection
- Compatible with LANSAN modular connectors
- Works with LANSAN Back boxes

PN	Description
PA982022	Modern 86Type 1port White (new design!!!)
PA982023	Modern 86Type 2port White (new design!!!)



Classic 86 Type | Face Plate

- Popular 86 Type Classic design
- Provide dustproof protection
- Compatible with LANSAN modular connectors
- Works with LANSAN Back boxes

PN	Description
PA982024	Classic 86Type 1 port White
PA982025	Classic 86Type 2port White
PA982026	Classic 86Type 4port White



Angled 86 Type | Face Plate

- Angled design helps cable bend radius
- Icons included, color or special icons available
- Compatible with LANSAN modular connectors
- Works with LANSAN Back boxes

PN	Description
PA982027	Angled 86Type 1 port White
PA982028	Angled 86Type 2port White



Classic 86 Type | Back Box

- Compatible with LANSAN faceplates
- Provide basic storage wire function

PN	Description
PA982029	86 Type white



Classic CAT6 | Surface Box

- Configurable with LANSAN modular connectors
- Designed with gold plated screw down terminals
- Wiring diagram molded under the cover
- Paste-type, support to install on smooth surface

PN	Description
PA982030	Cat.6 1 port White
PA982031	Cat.6 2 port White




Classic CAT5E | Surface Box

- Configurable with LANSAN modular connectors
- Designed with gold plated screw down terminals
- Wiring diagram molded under the cover
- Paste-type, support to install on smooth surface

PN	Description
PA982032	Cat.5e 1 port White
PA982033	Cat.5e 2 port White

Punch Down | Tool

PN	Description
PA982034	Punch Down Tool



Stripping | Tool

PN	Description
PA982035	Stripping Tool



Compression | Tool

PN	Description
PA982036	Compression Tool



2
PACK**LAN Cable Pull box**

PN	Description
PA312677-XX	Cat6 UTP PVC 305m
PA312678-XX	Cat6 UTP LSOH 305m
PA291306-XX	Cat5e UTP PVC 305m
PA291307-XX	Cat5e UTP LSOH 305m

XX color: Blue = BE, White = WE ... BK GN GY OE RD YW
Standard Color: Blue, Grey

2
PACK**Patch Cord UnScreened**

PN	Description
PA312683-XX-YY	Cat6A UTP PVC
PA312684-XX-YY	Cat6A UTP LSOH
PA312685-XX-YY	Cat6 UTP PVC
PA312686-XX-YY	Cat6 UTP LSOH
PA291310-XX-YY	Cat5e UTP PVC
PA291311-XX-YY	Cat5e UTP LSOH

XX color: Blue = BE, White = WE ... BK GN GY OE RD YW
YY length: 1m = 01, 2m = 02...
Standard length: 1m 2m 3m 5m 7m 10m 15m 20m 25m
Standard Color: Blue Red Yellow Grey White Black

1
PACK**Patch Panel UnScreened**

PN	Description
PA982010	Blank 24P 19"
PA982011	Blank 48P 19"
PA982014	Cat6 UTP 19" 24P
PA982015	Cat6 UTP 19" 48P
PA982018	Cat5e UTP 19" 24P
PA982019	Cat5e UTP 19" 48P

50
PACK**Keystone Jack UnScreened**

PN	Description
PA982000	Cat6A UTP 180°
PA982002	Cat6 UTP 90° Toolless
PA982003	Cat6 UTP 180°
PA982006	Cat5e UTP 90° Toolless
PA982007	Cat5e UTP 180°

50
PACK**Faceplate Modern**

PN	Description
PA982022	Modern 86T 1P White
PA982023	Modern 86T 2P White

1
PACK**Cable Mangement Plastic**

PN	Description
PA940047	Plastic 19"

2
PACK**LAN Cable Drum**

PN	Description
PA312673-XX	Cat6A UTP PVC 500m
PA312674-XX	Cat6A UTP LSOH 500m
PA312675-XX	Cat6A SFTP PVC 500m
PA312676-XX	Cat6A SFTP LSOH 500m

XX color: Blue = BE, White = WE ... BK GN GY OE RD YW
Standard Color: Blue, Grey

2
PACK**Patch Cord Screened**

PN	Description
PA312683-XX-YY	Cat6A STP PVC
PA312684-XX-YY	Cat6A STP LSOH
PA312687-XX-YY	Cat6 FTP PVC
PA312688-XX-YY	Cat6 FTP LSOH
PA291312-XX-YY	Cat5e FTP PVC
PA291313-XX-YY	Cat5e FTP LSOH

XX color: Blue = BE, White = WE ... BK GN GY OE RD YW
YY length: 1m = 01, 2m = 02...
Standard length: 1m 2m 3m 5m 7m 10m 15m 20m 25m
Standard Color: Blue Red Yellow Grey White Black

1
PACK**Patch Panel Screened**

PN	Description
PA982016	Cat6 FTP 19" 24P
PA982020	Cat5e FTP 19" 24P

50
PACK**Keystone Jack Screened**

PN	Description
PA982001	Cat6A FTP 180° Toolless
PA982004	Cat6 FTP 180° Toolless
PA982008	Cat5e FTP 180° Toolless

50
PACK**Faceplate Angled**

PN	Description
PA982027	Angled 86T 1P White
PA982028	Angled 86T 2P White

1
PACK**Cable Mangement Metal**

PN	Description
PA940046	Metal 19"